




Soft Skirting

aka Base Molding ...




Soft Skirting





PRIM soft skirtings are made of a very robust plastic material (generic name : sPVC) that is unaffected by moisture and therefore can withstand daily washing. Offered high mechanical strength property thanks to toughness

In addition to Syannlab's "PRIM" soft skirting, does not require corner angles from us, should be cut at corner. They are used for transitions between different types of flooring, on stairs, as finishing in wet rooms or on corners that are extra exposed to impact and collision in transport Country of origin: India



Conceptual design

Black Grey


Sustainable design

Long lasting Self Adhesive

Design Documentation

Varies sizes and thickness

Style - Colour



Colour Selection

These Soft Skirting are available with 2 colours, i.e BLACK and GREY; Other basic colours with with MOQ ~ 500M



Style - Size



60mm x 10mm x 1.0mm

PRIM soft skirtings are made of a very robust plastic material that is unaffected by moisture and therefore can withstand daily washing.

MOUNTING

The skirting is self-adhesive and made of a soft material that is easy to work with.




80mm x 12mm x 1.5mm

PRIM soft skirtings are made of a very robust plastic material that is unaffected by moisture and therefore can withstand daily washing.

MOUNTING

The skirting is self-adhesive and made of a soft material that is easy to work with.



100mm x 12mm x 2.0mm

PRIM soft skirtings are made of a very robust plastic material that is unaffected by moisture and therefore can withstand daily washing.

MOUNTING

The skirting is self-adhesive and made of a soft material that is easy to work with.



Advantages



Self Adhesive – No need to any external adhesives




Soft and tough – No need of corner guards and mechanically strong



Shipped as roll – Occupies less space for transport and warehousing




Choices - Varies Colour, Size and Thickness available




Syannlab



Product



Self Adhesive







Application









No external adhesive

No Corner Clips

Cleaning


The installation surface should be clean and dry.

Soft profiles can be stretched before installation.

Remove the cover on self-adhesive profiles gradually during application.

Corners should be cut off at 45deg.





Packaging



Roll Form, 25m long (7.5 kg)




Packed in box



Shipping Box, 35cm x 35cm x 12cm



Images



Layout Application





Syannlab

THANK YOU

Any clarification, please feel free to query us ...

Yes, Samples
NO Problem

Please ask for it ...



